

## EVOLUTION IN MENDELIAN POPULATIONS

S. Wright

*Genetics* March 1, 1931 16:97-159

After the rediscovery of Mendel's work in 1900, bitter disputes erupted between the first geneticists and the biometricians who studied quantitative traits. How could the discrete genes of the geneticists explain the continuous variation observed by biometricians? And could natural selection shape variation in these genes? Eventually, the two camps came to understand that quantitative variation is due to multiple Mendelian genes of small effect, and selection on this variation is highly effective. Yet in 1931, very few attempts had been made to formally describe the genetics of evolving populations. By explicitly reconciling Mendel's and Darwin's theories, Sewall Wright and the other pioneers of population genetics laid an enduring mathematical foundation for understanding evolution.

Wright's *Evolution in Mendelian Populations* is a remarkable synthesis of population genetics and its application, presenting, in essentially its modern form, the population genetics of allele frequency evolution. Wright provides mathematical analyses of selection, mutation, migration, and random genetic drift, synthesizing these processes into a single formula for the stationary distribution of allele frequencies. This laid the groundwork for Kimura's elaboration of the diffusion approximation and its widespread application to understanding molecular variation (KIMURA 1954).

Wright uses these mathematics to argue that selection on a large population would not lead to continued evolutionary progress. Instead, the population would be trapped with an allele combination that is favored only locally. Steady progress would be most likely in species subdivided into smaller groups with similar rates of selection, migration and random drift. This would allow more efficient exploration of the 'adaptive landscape.'

Wright's theory was highly influential, stimulating many studies of natural population structure. Nevertheless, it is not clear that his 'shifting balance' mechanism actually operates in nature (COYNE *et al.* 1997). As Fisher argued, a changing environment allows continual evolution across the vast space of possible genotypes (see Provine, 1986, for the correspondence between Fisher and Wright on these issues). The role of local fitness peaks and gene flow in adaptive evolution remain major open questions in evolutionary biology, nearly a century after Wright first raised the issue.

## Literature Cited

Coyne J., Barton N., Turelli M., 1997 Perspective: a critique of Sewall Wright's shifting balance theory of evolution. *Evolution* (N. Y). 51: 643–671.

Kimura M., 1954 Process leading to quasi-fixation of genes in natural populations due to random fluctuation of selection intensities. *Genetics* 39: 280–295.

[Provine, W. B. 1986. *Sewall Wright and Evolutionary Biology*. Univ. Chicago Press]

## Further Reading in **GENETICS**

Crow J. F., 1988 Sewall Wright (1889-1988). *Genetics* 119: 1–4.

Crow J. F., 2006 Interesting Reviewers. *Genetics* 173: 1833–1834.

Crow J. F., 2010 Wright and Fisher on Inbreeding and Random Drift. *Genetics* 184: 609–611.

Crow J. F., Dove W. F., 1987 Anecdotal, Historical and Critical Commentaries on Genetics : Sewall Wright and Physiological Genetics. *Genetics* 115: 1–2.

Ewens W. J., 2012 James F. Crow and the stochastic theory of population genetics. *Genetics* 190: 287–90.

Hill W. G., 1996 Sewall Wright's "Systems of Mating." *Genetics* 143: 1499–1506.

Hill W. G., 2014 Applications of Population Genetics to Animal Breeding, from Wright, Fisher and Lush to Genomic Prediction. *Genetics* 196: 1–16.

## Other **GENETICS** articles by S. Wright

Dobzhansky T., Wright S., 1941 Genetics of natural populations. V. Relations between mutation rate and accumulation of lethals in populations of *Drosophila pseudoobscura*. *Genetics* 26: 23–51.

Dobzhansky T., Wright S., 1943 Genetics of natural populations. X. Dispersion rates in *Drosophila pseudoobscura*. *Genetics* 28: 304–340.

Dobzhansky T., Wright S., 1947 Genetics of natural populations. XV. Rate of diffusion of a mutant gene through a population of *Drosophila pseudoobscura*. *Genetics* 32: 303–324.

Wright S., 1918 On the nature of size factors. *Genetics* 3: 367–374.

Wright S., 1921 Systems of mating. I. The biometric relations between parent and offspring. *Genetics* 6: 111–123.

Wright S., 1921 Systems of mating. II. The effects of inbreeding on the genetic composition of a population. *Genetics* 6: 124–143.

- Wright S., 1921 Systems of mating. III. Assortative mating based on somatic resemblance. *Genetics* 6: 144–161.
- Wright S., 1921 Systems of mating. IV. The effects of selection. *Genetics* 6: 162–166.
- Wright S., 1921 Systems of mating. V. General considerations. *Genetics* 6: 167–178.
- Wright S., 1923 The theory of path coefficients a reply to Niles's criticism. *Genetics* 8: 239–255.
- Wright S., 1925 The factors of the albino series of guinea-pigs and their effects on black and yellow pigmentation. *Genetics* 10: 223–260.
- Wright S., 1927 The effects in combination of the major color-factors of the guinea pig. *Genetics* 12: 530–569.
- Wright S., 1928 An eight-factor cross in the guinea pig. *Genetics* 13: 508–531.
- Wright S., 1932 General, group and special size factors. *Genetics* 17: 603–619.
- Wright S., 1934 The results of crosses between inbred strains of guinea pigs, differing in number of digits. *Genetics* 19: 537–551.
- Wright S., 1934 On the genetics of subnormal development of the head (otocephaly) in the guinea pig. *Genetics* 19: 471–505.
- Wright S., 1934 An analysis of variability in number of digits in an inbred strain of guinea pigs. *Genetics* 19: 506–536.
- Wright S., 1935 A mutation of the guinea pig, tending to restore the pentadactyl foot when heterozygous, producing a monstrosity when homozygous. *Genetics* 20: 84–107.
- Wright S., 1939 The distribution of self-sterility alleles in populations. *Genetics* 24: 538–552.
- Wright S., 1941 Tests for linkage in the guinea pig. *Genetics* 26: 650–669.
- Wright S., 1943 Isolation by distance. *Genetics* 28: 114–138.
- Wright S., 1943 An analysis of local variability of flower color in *linanthus parryae*. *Genetics* 28: 139–156.
- Wright S., 1946 Isolation by distance under diverse systems of mating. *Genetics* 31: 39–59.
- Wright S., 1947 On the genetics of several types of silvering in the guinea pig. *Genetics* 32: 115–141.
- Wright S., 1949 Estimates of amounts of melanin in the hair of diverse genotypes of the guinea pig, from transformation of empirical grades. *Genetics* 34: 245–271.
- Wright S., 1952 The theoretical variance within and among subdivisions of a population that is in a steady state. *Genetics* 37: 312–321.
- Wright S., 1959a On the genetics of silvering in the guinea pig with especial reference to

interaction and linkage. *Genetics* 44 : 387–405.

Wright S., 1959b Silvering (si) and diminution (dm) of coat color of the guinea pig, and male sterility of the white or near-white combination of these. *Genetics* 44: 563–590.

Wright S., 1959c A quantitative study of variations in intensity of genotypes of the guinea pig at birth. *Genetics* 44: 1001–1026.

Wright S., 1960a The residual variability in intensity of coat color at birth in a guinea pig colony. *Genetics* 45: 583–612.

Wright S., 1960b Postnatal changes in the intensity of coat color in diverse genotypes of the guinea pig. *Genetics* 45: 1503–1529.

Wright S., Braddock Z. I., 1949 Colorimetric determination of the amounts of melanin in the hair of diverse genotypes of the guinea pig. *Genetics* 34: 223–244.

Wright S., Chase H. B., 1936 On the genetics of the spotted pattern of the guinea pig. *Genetics* 21: 758–787.

Wright S., Dobzhansky T., 1946 *Genetics of natural populations*. XII. Experimental reproduction of some of the changes caused by natural selection in certain populations of *Drosophila pseudoobscura*. *Genetics* 31: 125–156.

Wright S., Dobzhansky T., Hovanitz W., 1942 *Genetics of natural populations*. VII. The allelism of lethals in the third chromosome of *Drosophila pseudoobscura*. *Genetics* 27: 363–394.

Wright S., Eaton O. N., 1926 Mutational mosaic coat patterns of the guinea pig. *Genetics* 11 : 333–351.